

- treatment of congenital absence of vagina using tissue expansion. *Surg Gynecol Obstet* 1993; 177:158-162.
4. Williams EA. Congenital absence of the vagina, a simple operation for its relief. *J Obstet Gynaec Brit Emp* 1964; 71:511-512.
 5. McIndoe AH, Banister JB. An operation for cure of congenital absence of the vagina. *J Obstet Gynaec Brit Emp* 1938; 45:490-494.
 6. Lang N, Neef I, Blömer A. Die operative Behandlung der Aplasia vaginae mit Hilfe des Maschentransplantats. *Geburtsh Frauenheilk* 1973; 33:560-563.
 7. Davydov SN, Zhvitiashvili OD. Formation of vagina (colpopoiesis) from peritoneum of Douglas pouch. *Acta Chir Plast* 1974; 16:35-41.
 8. Friedberg V. Die Bildung einer künstlichen Vagina mittels Peritoneum. *Geburtsh u Frauenheilk* 1974; 34:719-723.
 9. Rothman D. The use of peritoneum in the construction of a vagina. *Obstet Gynecol* 1972; 40:835-838.
 10. Woods JE, Alter G, Meland B, Podratz K. Experience with vaginal reconstruction utilizing the modified Singapore flap. *Plast Reconstr Surg* 1992; 90:270-274.
 11. Morton KE, Davies D, Dewhurst J. The use of the fasciocutaneous flap in vaginal reconstruction. *Br J Obstet Gynecol* 1986; 93:970-973.
 12. McCraw JB, Massay FM, Shanklin KD H CE. Vaginal reconstruction with gracilis myocutaneous flaps. *Plast Reconstr Surg* 1976; 58:176-183.
 13. Achauer BM, Braly P, Berman ML, DiSaia PJ. Immediate vaginal reconstruction following resection for malignancy using the gluteal thigh flap. *Gynecol Oncol* 1984; 19:79-89.
 14. Chen ZJ, Chenn MY, Chen C, Wu N. Vaginal reconstruction with an axial subcutaneous pedicle flap from the inferior abdominal wall: A new method. *Plast Reconstr Surg* 1989; 83:1005-1012.
 15. Tobin GR, Day TG. Vaginal and pelvic reconstruction with distally based rectus abdominis myocutaneous flaps. *Plast Reconstr Surg* 1988; 81:62-73.
 16. Xiong S, Zhan W, Cheng X, et al. Vaginal reconstruction with island flap of the inferior epigastric vascular pedicle. *Plast Reconstr Surg* 1993; 92:271-275.
 17. Freund T, Toolenaar TA, Huikeshoven FJ, Drogendijk AC, Jeekel H. A modified technique to create a neovagina with an isolated segment of sigmoid colon. *Surg Gynecol Obstet* 1992; 174:11-16.
 18. Turner Warwick R, Kriby RS. The construction and reconstruction of the vagina with the colocoecum. *Surg Gynecol Obstet* 1990; 170:132-136.
 19. Bürger RA, Riedmiller H, Knapstein PG, Friedberg V, Hohenfellner R. Ileocecal vaginal construction. *Am J Obstet Gynecol* 1989; 161:162-167.
 20. Carlson JW, Soisson AP, Fowler JF, Carter JR, Twiggs LB, Carlson LF. Rectus abdominis myocutaneous flap for primary vaginal reconstruction. *Gynecol Oncol* 1993; 51:323-329.
 21. Hage JJ, Karim RB, Asscheman H, Bloemena E, Cuesta MA. Unfavorable long term results of rectosigmoid neocolpopoiesis. *Plast Reconstr Surg* 1995; 95:842-848.
 22. Taylor GI, Palmer JH. The vascular territories (angiosomes) of the body: Experimental study and clinical applications. *Br J Plast Surg* 1987; 40:113-141.
 23. van Noort DE, Nicolai JP. Comparison of two methods of vagina construction in transsexuals. *Plast Reconstr Surg* 1993; 91:1308-1315.
 24. Tylor GI, Corlett RJ, Boyd JB. The versatile deep inferior epigastric (inferior rectus abdominis) flap. *Br J Plast Surg* 1984; 37:330-350.

MEGHÍVÓ

European School of Oncology training course on

MOLECULAR GENETICS IN GYNAECOLOGICAL AND BREAST CANCER AND ITS CLINICAL IMPLICATIONS. BRIDGING THE GAP

Jointly organized with the Federation of the Hungarian Medical Societies and the Hungarian Society of Gynecologic Oncologists under the auspices of the Hungarian Academy of Sciences

Chairpersons: A. Berchuck (USA), P. Bősze (H), S. Eckhardt (H), E. Oláh (H)

November 21st-22nd, 1997

Venue: Hungarian Academy of Sciences, Budapest, Hungary

This seminar aims to serve as a bridge between basic molecular biology and clinical medicine. **The language of the course is exclusively English.**

For information and registration: Prof. Dr. Péter Bősze (H) 1301 Budapest, PO Box 46, Hungary. Tel. and Fax (36 1) 275 2172

Minden érdeklődőt szeretettel várunk. A tanfolyam anyaga nemcsak elméleti szakemberek, kutatók, hanem alapvetően klinikusok szempontja szerint kerül összeállításra. A klinikus számára már nem nélkülözhető rákgenetikai ismeretek klinikai alkalmazásának lehetőségeivel foglalkozik, amely magában foglalja a rákbetegségek kezelését forradalmasító génterápiát is. Részvételi díj 500 USD. A hagyományoknak megfelelően, a hazai kollégák számára ez a tanfolyam is térítésmentes.